Umotate

Mo. PCI 1179 / 166668/(5266)-IX, Education, Employment & Youth Services Department, Mentralaya Annexe, Bombay- 400 032. Dated the 1st January, 1980.

To

The President,
Kolhapur District Chemists' Association,
Old Palace Road,
KOIMAPUR

Sabject : Diploma Course in Pharmacy
Opening of -

Sir,

I am directed to refer to your letter No.KDCA/152/79,
dated 18/7/79 on the subject mentioned above and to state that Government has granted permission to you to open diploma course with an intake capacity of 30 seats from 1980-81 on the following conditions:-

- (i) Your institute must make all preliminary arrangements by purchasing equipment and machinary for the course. The amount will be rejumbersed by Government as per normal rules as the funds may permit.
- (ii) Your institute must have necessary laboratories of its own duly equipped.
- (iii) Your institute must have necessary staff qualified to teach diploma course in Pharmacy and their scales of pay should not, in any case, be lower than those sanctmoned by the State Government;
 - (iv) Your institute must have necessary building and such other facilities for the use of staff and students.
- You are now requested to take preliminary steps on the lines mentioned above and to report to the Director of Technical Education, within a period of 3 months whether you have necessary physical facilities and financial backing to undertake the courses.

Yours faithfully,

(S. V. Deuskar)

Assistant Secretary to Government.

Copy forwarded for information and necessary action to the Director of Coche Technical Education, Maharashtra State, Bombay with reference to the Government Letter No. PCI 1179/167290(5282)-IX, dated 17th December, 1979.

Copy to :- 1) The Education, Employment & Youth Services Department, Desk XXV,

2) The Registrar, State Pharmacy Council, Maharashtra State, Bombay,

3) The Urban Development & Public Health Department,

4) The Chairman, Board of Technical Examination, C/o Director of Technical Education, Maharashtra State, Dombay.

bub/1-1-80